

## THIEMAN CONVENTIONAL LIFTGATES

# TWL Series

*1250 lb. to 2000 lb. Capacities*



The Thieman TWL Series is the most versatile and *durable* general purpose conventional style liftgate in the industry. The TWL features a wide range of bed heights, making it possible to meet a variety of delivery needs.

The TWL *standard features* include:

- Cam Activated Power Close
- Adjustable Cylinders
- Latch Chains
- Meets TMC Electrical Requirements
- 150 Amp Circuit Protection
- 66" x 26" to 90" x 32" Platform
- Bed Height Range 33" - 52"

# VLBG Series

*3000 lb. to 4000 lb. Capacities*



This Thieman VLBG Series is designed for handling gas bottle cylinders. Like the VL series, it is built with the strongest, most durable frame in the industry. The VLBG also incorporates high quality roller bearings and cycle tested, premium lift cables for smooth operation.

The VLBG standard features include:

- Bottle Retention Cage
- Power Open/Close Platform
- Emergency Cable Brake
- Power Unit Enclosure
- Toggle Switch Control
- Meets TMC Electrical Requirements
- 150 Amp Circuit Protection
- 90" x 36" + 16" or 90" x 42" + 16" Platforms
- Bed Height Range 44" to 55"

# WT Series

*2000 lb. to 4000 lb. Capacities*



The Thieman WT Series is built with strength and durability in mind. The WT incorporates dual cylinder lift and heavy duty construction designs which make it the most popular choice among the heavy duty conventional liftgates.

The WT standard features include:

- Toggle Switch Control
- Power Down/Power Close
- Dual Cylinder Lift
- Cast Bronze Bushings
- Latch Chains and Snubber Kit
- Solenoid Cover
- Meets TMC Electrical Requirements
- 150 Amp Circuit Protection
- 84" x 36" to 90" x 48" Platform
- Bed Height Range 40" - 54"